

### **MAXFORCE® FLY SPOT BAIT**

Version 1.1 / USA 102000027252

1/11 Revision Date: 11/16/2016 Print Date: 11/17/2016

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier	
Trade name	MAXFORCE® FLY SPOT BAIT
Product code (UVP)	80993730
SDS Number	102000027252
EPA Registration No.	432-1455
Relevant identified uses of the	e substance or mixture and uses advised against
Use	Insecticide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer Environmental Science 2 T.W. Alexander Drive Research Triangle PK, NC 27709 United States
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-800-331-2867

### **SECTION 2: HAZARDS IDENTIFICATION**

### Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Imidacloprid	138261-41-3	10
Muscalure	27519-02-4	0.1

### **MAXFORCE® FLY SPOT BAIT**

Version 1.1 / USA 102000027252

**2/11** Revision Date: 11/16/2016 Print Date: 11/17/2016

### **SECTION 4: FIRST AID MEASURES**

Description of first aid measures		
General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.	
Most important symptoms and effects, both acute and delayed		
Symptoms	If large amounts are ingested, the following symptoms may occur:	
	Dizziness, Abdominal pain, Nausea	
Indication of any immediate medical attention and special treatment needed		
Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.	

### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media	
Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet
Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)
Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.





### MAXFORCE® FLY SPOT BAIT

Version 1.1 / USA 102000027252

3/11 Revision Date: 11/16/2016 Print Date: 11/17/2016

Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	Not applicable
Auto-ignition temperature	345 °C / 653 °F
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Dust explosion class	No data available

### SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protect	ive equipment and emergency procedures
Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
Methods and materials for co	ntainment and cleaning up
Methods for cleaning up	Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.
Additional advice	Use personal protective equipment. If material is accidentally spilled, do not allow to enter soil, waterways or waste water canal.
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

### Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities



# **MAXFORCE® FLY SPOT BAIT**

Version 1.1 / USA 102000027252

4/11 Revision Date: 11/16/2016 Print Date: 11/17/2016

Requirements for storage areas and containers	Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	50ug/m3 (ST ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	5ug/m3 (AN ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*
Synthetic amorphous silica	112926-00-8	6 mg/m3 (REL)	2010	NIOSH
Synthetic amorphous silica	112926-00-8	6 mg/m3 (TWA)	1989	OSHA Z1A
Synthetic amorphous silica	112926-00-8	6 mg/m3 (TWA)	06 2008	TN OEL
Synthetic amorphous silica	112926-00-8	2ug/m3 (AN ESL)	03 2014	TX ESL
Synthetic amorphous silica	112926-00-8	27ug/m3 (ST ESL)	03 2014	TX ESL
Synthetic amorphous silica	112926-00-8	20millions of particles per cubic foot of air (TWA)	2000	Z3
Synthetic amorphous silica	112926-00-8	0.8 mg/m3 (TWA)	2000	Z3
Sucrose	57-50-1	10 mg/m3 (TWA)	02 2012	ACGIH
Sucrose (Respirable.)	57-50-1	5 mg/m3 (REL)	2010	NIOSH
Sucrose (Total)	57-50-1	10 mg/m3 (REL)	2010	NIOSH
Sucrose (Respirable fraction.)	57-50-1	5 mg/m3 (PEL)	02 2006	OSHA Z1
Sucrose (Total dust.)	57-50-1	15 mg/m3 (PEL)	02 2006	OSHA Z1
Sucrose (Respirable fraction.)	57-50-1	5 mg/m3 (TWA)	1989	OSHA Z1A
Sucrose (Total dust.)	57-50-1	15 mg/m3 (TWA)	1989	OSHA Z1A
Sucrose	57-50-1	5 mg/m3	06 2008	TN OEL



# **MAXFORCE® FLY SPOT BAIT**

Version 1.1 / USA 102000027252

5/11 Revision Date: 11/16/2016 Print Date: 11/17/2016

(Respirable fraction.)		(TWA)		
Sucrose (Total dust.)	57-50-1	15 mg/m3 (TWA)	06 2008	TN OEL
Sucrose	57-50-1	5ug/m3 (AN ESL)	03 2014	TX ESL
Sucrose	57-50-1	50ug/m3 (ST ESL)	03 2014	TX ESL

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

### **Exposure controls**

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to beige
Physical State	granular
Odor	weak characteristic
Odour Threshold	No data available
рН	4.5 - 6.5 at 1 % (23 °C) (CIPAC D water (342ppm))
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Specific Gravity	No data available
Evaporation rate	Not applicable
Boiling Point	Not applicable
Melting / Freezing Point	181 °C / 357.8 °F
Water solubility	dispersible
Minimum Ignition Energy	No data available

# **MAXFORCE® FLY SPOT BAIT**



Version 1.1 / USA 102000027252 6/11 Revision Date: 11/16/2016 Print Date: 11/17/2016

Decomposition temperature	> 420 °C , Heating rate: 0.5 K/min
Partition coefficient: n- octanol/water	No data available
Viscosity	
	Not applicable
Flash point	Not applicable
Auto-ignition temperature	345 °C / 653 °F
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Burst south stands at a s	
Dust explosion class	No data available

### SECTION 10: STABILITY AND REACTIVITY

Reactivity Thermal decomposition	> 420 °C, Heating rate: 0.5 K/min
Self heating Chemical stability	not self-heating Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

### SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Skin contact, Eye contact
Immediate Effects Eye	May cause mild irritation to eyes.
Ingestion	Harmful if swallowed.

### MAXFORCE® FLY SPOT BAIT

Version 1.1 / USA 102000027252



7/11 Revision Date: 11/16/2016 Print Date: 11/17/2016

### Information on toxicological effects

Acute oral toxicity	LD 50 cut-off (Rat) > 5,000 mg/kg
Acute inhalation toxicity	ATE (Mix) (Rat) > 5 mg/l Exposure time: 4 h calculated Acute toxicity estimate
Acute dermal toxicity	ATE (Mix) (Rat) > 5,000 mg/kg Calculation method Acute toxicity estimate
Skin irritation	No skin irritation (Rabbit)
Eye irritation	Minimally irritating. (Rabbit)
Sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

#### Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

#### Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

#### Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

#### **Further information**

Acute toxicity studies have been bridged from a similar formulation(s). The non-acute information pertains to the active ingredient(s).



### **MAXFORCE® FLY SPOT BAIT**

Version 1.1 / USA 102000027252

8/11 Revision Date: 11/16/2016 Print Date: 11/17/2016

### **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid. EC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l
	Exposure time: 24 h The value mentioned relates to the active ingredient imidacloprid.
Chronic toxicity to aquatic invertebrates	EC10 (Chironomus riparius (non-biting midge)): 2,09 μg/l Exposure time: 28 d The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic plants	IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.
Additional ecological information	No other effects to be mentioned.
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product as specified on the label.

### SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	
Product	Dispose in accordance with all local, state/provincial and federal regulations. Follow advice on product label and/or leaflet.
Contaminated packaging	Triple rinse containers. Add washings to sprayer at time of filling. Puncture container to avoid re-use. Follow advice on product label and/or leaflet.



### MAXFORCE® FLY SPOT BAIT

Version 1.1 / USA 102000027252

9/11 Revision Date: 11/16/2016 Print Date: 11/17/2016

### **RCRA** Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

### **SECTION 14: TRANSPORT INFORMATION**

49CFR	Not dangerous goods / not hazardous material
IMDG UN number Class Packaging group Marine pollutant Proper shipping name	<b>3077</b> 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
IATA UN number Class Packaging group Environm. Hazardous Mark Proper shipping name	<b>3077</b> 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

### **SECTION 15: REGULATORY INFORMATION**

EPA Registration No. 432-1455 US Federal Regulations TSCA list Muscalure 27519-02-4 US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) None. SARA Title III - Section 302 - Notification and Information None. SARA Title III - Section 313 - Toxic Chemical Release Reporting None. US States Regulatory Reporting CA Prop65 This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause



### **MAXFORCE® FLY SPOT BAIT**

Version 1.1 / USA 102000027252

10/11 Revision Date: 11/16/2016 Print Date: 11/17/2016

reproductive harm.

US State Right-To-Know Ingredients None.

Canadian Regulations Canadian Domestic Substance List None.

Environmental CERCLA None. Clean Water Section 307 Priority Pollutants None. Safe Drinking Water Act Maximum Contaminant Levels None.

#### **EPA/FIFRA** Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label: **Signal word:** Caution!

Hazard statements:Harmful if swallowed.Avoid contact with skin, eyes and clothing.Wash thoroughly with soap and water after handling.

### **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

	i yine
49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

### **MAXFORCE® FLY SPOT BAIT**

Version 1.1 / USA 102000027252



**11/11** Revision Date: 11/16/2016 Print Date: 11/17/2016

Others - none

#### NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)Health - 1Flammability - 1Physical Hazard - 0PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 13. Disposal considerations.

Revision Date: 11/16/2016

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.