

Revision date : 2013/12/27 Version: 3.0 Page: 1/9 (30472989/SDS_CPA_US/EN)

1. Product and Company Identification

<u>Company</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA 24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Registrant: Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122

Substance number: Synonyms:

000000397463 Dinotefuran

2. Hazards Identification

Emergency overview

CAUTION: KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. Flammable Liquid Aerosol container contains flammable gas under pressure.

See Product Label for additional precautionary statements.

State of matter: liquid Odour: odourless

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Irritation / corrosion:

May cause slight but temporary irritation to the eyes. May cause slight irritation to the skin.

Sensitization:

Skin sensitizing effects were not observed in animal studies.

Revision date : 2013/12/27 Version: 3.0 Page: 2/9 (30472989/SDS_CPA_US/EN)

3. Composition / Information on Ingredients

CAS Number
165252-70-0
67-64-1
115-10-6
124-38-9

<u>Content (W/W)</u> 0.5 % <= 99.5 % Chemical name Dinotefuran Acetone dimethyl ether carbon dioxide Proprietary ingredients

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

5. Fire-Fighting Measures

Lower explosion limit:	3.4 %(V)	(air)
Upper explosion limit:	18 %(V)	(air)
Flammability of Aerosol	> 18 in	(ASTM D 3065
Products:	no flashback	
NFPA 30B flammability:		
-	Level 1 Aerosol	

Suitable extinguishing media:

foam, dry powder, carbon dioxide, water spray

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Revision date : 2013/12/27 Version: 3.0 Page: 3/9 (30472989/SDS_CPA_US/EN)

6. Accidental release measures

Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice:

Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Storage stability:

May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Temperature tolerance

Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

Revision date : 2013/12/27 Version: 3.0 Page: 4/9 (30472989/SDS_CPA_US/EN)

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Acetone	OSHA PEL	PEL 1,000 ppm 2,400 mg/m3 ;
	ACGIH TLV	TWA value 500 ppm ; STEL value 750 ppm ;
carbon dioxide	OSHA PEL	PEL 5,000 ppm 9,000 mg/m3 ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	aerosol	
Odour:	odourless	
pH value:	approx. 8.6	(23 °C)
Density:	< 1 g/cm3	(20 °C)
Vapour density:		not determined
Viscosity, dynamic:	1.75 mPa.s	(approx. 21 °C)
Solubility in water:		dispersible

Revision date : 2013/12/27 Version: 3.0 Page: 5/9 (30472989/SDS_CPA_US/EN)

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Substances to avoid:

halogenated hydrocarbons

Hazardous reactions:

The product is chemically stable.

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50 Species: rat Value: > 5,000 mg/kg

Inhalation:

Type of value: LC50 Species: rat Value: > 2.05 mg/l

Dermal: Type of value: LD50 Species: rat Value: > 5,000 mg/kg

Irritation / corrosion

Skin: Species: rabbit Result: Slightly irritating.

Eye:

Species: rabbit Result: Slightly irritating. May cause slight irritation to the eyes.

Sensitization:

Species: guinea pig Result: Skin sensitizing effects were not observed in animal studies.

Genetic toxicity

Revision date : 2013/12/27 Version: 3.0 Page: 6/9 (30472989/SDS_CPA_US/EN)

Information on: Dinotefuran Mutagenicity tests revealed no genotoxic potential.

Information on: Acetone

In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was not found. A mutagenic effect was also not observed in in vivo tests.

Information on: dimethyl ether

No mutagenic effect was found in various tests with microorganisms and mammalian cell culture. Literature data.

Carcinogenicity

Information on: Dinotefuran In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Information on: Dinotefuran The results of animal studies gave no indication of a fertility impairing effect. Information on: Acetone As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects. Information on: dimethyl ether The results of animal studies gave no indication of a fertility impairing effect. Literature data.

Development:

Information on: Dinotefuran No indications of a developmental toxic / teratogenic effect were seen in animal studies. Information on: Acetone In animal studies the substance did not cause malformations. Information on: dimethyl ether In animal studies the substance did not cause malformations. Literature data.

12. Ecological Information

Fish

Information on: Dinotefuran Acute: Oncorhynchus mykiss/LC50 (96 h): > 100 mg/l Cyprinus carpio/LC50 (96 h): > 100 mg/l

Information on: Acetone Acute: OECD 203; ISO 7346; 84/449/EEC, C.1 Flow through. Pimephales promelas/LC50 (96 h): 6,210 mg/l The statement of the toxic effect relates to the analytically determined concentration. Fish test acute static Oncorhynchus mykiss/LC50 (96 h): 5,540 mg/l Nominal concentration.

Information on: dimethyl ether Acute: other semistatic

Revision date : 2013/12/27 Version: 3.0 Page: 7/9 (30472989/SDS_CPA_US/EN)

Poecilia reticulata/NOEC (96 h): > 4,000 mg/l The product is highly volatile. Tested in a closed test system.

Aquatic invertebrates

Information on: Dinotefuran Acute: Daphnia magna/EC50 (48 h): > 1,000 mg/l shrimp/LC50 (96 h): 0.79 mg/l

Information on: Acetone Acute: Daphnia test acute static Daphnia pulex/LC50 (48 h): 8,800 mg/l Nominal concentration. Daphnia test acute static Artema salina/LC50 (24 h): 2,100 mg/l Nominal concentration.

Information on: dimethyl ether Acute: other static Daphnia magna/No observed effect concentration (48 h): > 4,000 mg/l The product is highly volatile. Tested in a closed test system.

Aquatic plants

Information on: Acetone Toxicity to aquatic plants: DIN 38412 Part 9 static Bacteria/Toxic limit concentration (8 d): 530 mg/l Nominal concentration.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport USDOT

Hazard class: ID number: Hazard label: Proper shipping name: 2.1 UN 1950 2.1 AEROSOLS

Revision date : 2013/12/27 Version: 3.0

Page: 8/9 (30472989/SDS_CPA_US/EN)

Sea transport IMDG

Air transport IATA/ICAO

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status: Chemical	TSCA, US	blocked / not listed	
onomioar	100/1,00		
Crop Protection	TSCA, US	released / exempt	
OSHA hazard category: Chronic target organ effects reported; ACGIH TLV established			
EPCRA 311/312 (Hazard categories): Acute; Fire; Sudden release of pressure			
	CAS Number		
5000 LBS 100 LBS	67-64-1 115-10-6	Acetone dimethyl ether	
State regulations			
State RTK	CAS Nu	mber Chemical name	

MA, NJ, PA MA, NJ, PA

115-10-6 124-38-9 dimethyl ether carbon dioxide

16. Other Information

Refer to product label for EPA registration number.

Recommended use: insecticide

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible

Revision date : 2013/12/27 Version: 3.0 Page: 9/9 (30472989/SDS CPA US/EN)

fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

SDS Prepared by: BASF NA Product Regulations

msds@basf.com SDS Prepared on: 2013/12/27

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET